Notice of Allowability	Application No.	Applicant(s)	
	09/664,361	09/664 361 TORITA VOLUGUE	
	Examiner	TOBITA, YOUICHI Art Unit	
	Jose H Alcala	2827	
The MAILING DATE of this communication All claims being allowable, PROSECUTION ON THE MERIT herewith (or previously mailed), a Notice of Allowance (PTO NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATE of the Office or upon petition by the applicant. See 37 CFR  1. This communication is responsive to amendment filed 2. The allowed claim(s) is/are 1-11.  3. The drawings filed on are accepted by the Examunication is responsible.	appears on the cover sheet was IS (OR REMAINS) CLOSED in L-85) or other appropriate commens of RIGHTS. This application is 1.313 and MPEP 1308.	ith the correspondence addre	ed
<ul> <li>4.   Acknowledgment is made of a claim for foreign priorit</li> <li>a)   All b)   Some* c)   None of the:</li> <li>1.   Certified copies of the priority documents</li> </ul>	y under 35 U.S.C. § 119(a)-(d) o	r (f).	
2 Certified copies of the priority documents	nave been received.		
2. Copies of the contified copies of the priority documents	nave been received in Application	on No	
3. Copies of the certified copies of the priorit	y documents have been receive	d in this national stage applicati	on from the
International Bureau (PCT Rule 17.2(a  * Certified copies not received:	)).		
5. Acknowledgment is made of a claim for demostic prior	it		
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  (a) The translation of the foreign language provisional application has been received.			
6. Acknowledgment is made of a claim for domestic prior	ity under 25 LLS C. SS 400	d.	
	ity under 35 0.5.C. 99 120 and/0	or 121.	
Applicant has THREE MONTHS FROM THE "MAILING DATA below. Failure to timely comply will result in ABANDONMEN	E" of this communication to file a T of this application. <b>THIS THR</b>	reply complying with the requir EE-MONTH PERIOD IS NOT E	ements noted
7. A SUBSTITUTE OATH OR DECLARATION must be s INFORMAL PATENT APPLICATION (PTO-152) which gives	submitted. Note the attached EX reason(s) why the oath or declar	AMINER'S AMENDMENT or NO ration is deficient.	OTICE OF
<ul> <li>8.  CORRECTED DRAWINGS must be submitted.</li> <li>(a)  including changes required by the Notice of Drafts</li> <li>1)  hereto or 2)  to Paper No</li> <li>(b)  including changes required by the proposed draw Examiner.</li> </ul>			ved by the
(c) ☐ including changes required by the attached Exam	iner's Amendment / Comment or	in the Office Co.	
Identifying indicia such as the application number (see 37 CF of each sheet. The drawings should be filed as a separate pa	SP 1 84(c)) chould be written and		
9. DEPOSIT OF and/or INFORMATION about the deattached Examiner's comment regarding REQUIREMENT FO	eposit of BIOLOGICAL MATE R THE DEPOSIT OF BIOLOGIC	RIAL must be submitted. No CAL MATERIAL.	te the
Attachment(s)			
<ul> <li>1 Notice of References Cited (PTO-892)</li> <li>3 Notice of Draftperson's Patent Drawing Review (PTO-9485)</li> <li>5 Information Disclosure Statements (PTO-1449), Paper Note The Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	i) 4☐ Interview c 6⊠ Examiner	Informal Patent Application (PT Summary (PTO-413), Paper No 's Amendment/Comment 's Statement of Reasons for Allo	o ,

≣

=

## Notice of Allowance

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the title: Replace title with: --Multilayered wiring substrate with dummy wirings in parallel to signal wirings and with --.

## Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance: The prior art fails to teach, disclose, or suggest, either alone or in combination, at least on claim 1 a multi-layer circuit board comprising: a plurality of multilayered wiring layers, at least one of said multilayered wiring layers comprising a signal wiring group made by a plurality of signal wirings disposed in parallel with one another; and dummy wirings disposed in atleast one of said multilayered wiring layers, outside said signal wiring group, and in parallel to said signal wirings, at least one of said dummy wirings being disposed at each side of said signal wiring group; and at least on claim 10 a multi-layer circuit board comprising: a plurality of multilayered wiring layers, at least one of said multilayered wiring layers comprising a signal wiring group made by a plurality of signal wirings disposed in parallel with one another; through holes formed in a stacking direction of said wiring layers and disposed in each clearance between said signal wirings; a

Application/Control Number: 09/664,361

Art Unit: 2827

dummy through hole extending in said stacking direction, disposed outside said signal wiring group; and conductive layers disposed inside said through holes and said dummy through hole, respectively.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jose H Alcala whose telephone number is (703) 305-9844. The examiner can normally be reached on Monday to Friday.
- 5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Talbott can be reached on (703) 305-9883. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-3431 for regular communications and (703) 305-3431 for After Final communications.
- 6. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

JHA March 20, 2003

DAVID L. TALBOTT

Page 3

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800